

FIG.1

65290-41824260

2/10

2




FIG.2




FIG.3

4/10




FIG.4


09/242814-05290-418242814

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

09/242814


5/10

09242814-062599



TOTAL PLAY TIME OF A-L IS 3437 SEC

FIG.5A



CHANGE TO NUMBER OF LONGER DURATION

3600 SEC IN TOTAL

FIG.5B




FIG.6




FIG.7




FIG.8




FIG.9

09/242814-11

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

09/242814

7/10




FIG.10

00590-41824260

8/10

CONFIGURATION SETTING AND REFERENCE

ITEM	SETTING	REFERENCE
COMMON TIME	SWITCH	FORMATION, OWNING, SEND-OUT, MXC, OA MONITOR
BIT RATE TABLE	SWITCH	FORMATION, SEND-OUT
CHANNEL COMBINATION TABLE	SWITCH	SEND-OUT, MXC
CURRENT MUX USE STATE	SWITCH	MXC
PMT	MXC	SEND-OUT
SERVICE TABLE	SWITCH	SEND-OUT, MXC

FIG.11




FIG.12

09/242814-0659

9/10




FIG.13

10/10




FIG.14